

**SGS****Report N°: 0000902307**

Page N° 1/3

Ho Chi Minh City, Date: April 21, 2025

JOB NO.: 2504A-1296

ANALYSIS REPORT

CLIENT'S NAME : HIGHLAND DRAGON ENTERPRISE
CLIENT'S ADDRESS : NO. 15, STREET NO 6, SONG THAN 1 INDUSTRIAL ZONE, DI AN WARD, DI AN CITY, BINH DUONG PROVINCE, VIETNAM

SAMPLE INFORMATION:

Sampled/ Submitted by : Client
Client's reference : Tuna Yellowfin Frozen
Sample size: 13 fish
Size > 9kg/fish
Incoming date: 04.04.25
Container no: TNCU - 4545333
MV Patsorn - Hầm 3.
Green World - Korea. FAO 51

Sampling date : 04.04.25

The above information is submitted and identified by the client/applicant.

Sample description : Food (approx. gr. wt. 1.1kg) in the plastic container
Sample ID : 2504A-1296.002
Date sample(s) received : April 10, 2025
Testing period : April 10, 2025 - April 19, 2025
Test(s) requested : As applicant's requirement
Test result(s) : Please refer to the next page(s)

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,

Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction.

**SGS****Report N°: 0000902307****Page N° 2/3****TEST RESULT(S)**

Analyte	Method	Result	LOD	LOQ	Unit	Remark
1. Cadmium (Cd)	AOAC 2015.01	0.012	0.005	0.01	mg/kg	
2. Lead (Pb)	AOAC 2015.01	Not Detected	0.005	0.01	mg/kg	
3. Mercury (Hg)	AOAC 2015.01	0.080	0.005	0.01	mg/kg	

Note:

- All methods were accredited with ISO 17025 by BoA or AOSC (without or with a triangle symbol (Δ) after the methods, respectively), except for the methods/analytes marked with an asterisk (*).
- All methods were performed by SGS Vietnam Ltd (the ones marked with the superscript number one (¹) were performed by SGS Can Tho Lab), except for the ones that were done by subcontractors (their names were mentioned in the parentheses after the method) and marked with two asterisks (**) after the analyte name.
- All methods (e.g.: AOAC, AOCS, AACC, AAFCO, SMEWW, CMMEF, SGS Laboratory developed method...) not stated with the published year were on the latest version at the time the tests were conducted.
- Testing time of all analytes was stated in the "Testing Period" (page 1) unless specified separately.
- LOD = Limit of Detection. LOD is referred to the estimated Level of Detection at 50% of probability of detection (eLOD50) when applied to the qualitative microbiological analytes, Probability of Detection (POD) when applied to qualitative chemical analytes, or Probability of Identification (POI) when applied to identification analytes. The result of the analyte with the concentration below or equal to LOD is reported as Not Detected.

LOQ = Limit of Quantification. When the chemical analyte is detected but its concentration is below limit of quantitation (LOQ), the result is reported as <LOQ. If the quantifiable result was calculated from individual analytes, it was done using unrounded single values without the ones below LOQ, or it was expressed as less than the sum of the individual LOQs of detected analytes when the concentration of all detected analytes was <LOQ. For microbiological analytes, according to the plate count testing method with the initial dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as <10 cfu/g (or <10 cfu/mL) if 1 mL of the diluted solution was incubated or <1 cfu/g (or <1 cfu/mL) if 10 mL of the diluted solution was incubated, <100 cfu/g (or <100 cfu/mL) for samples with further dilution of 10, <1 cfu/mL for pipettable samples without dilution, <10 cfu/sample (or <10 cfu/swab) for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that are required to report on specific area; according to the membrane filter method without further dilution, the result of the sample that the relevant colonies were not formed was reported as <1 cfu per sample volume tested; according to MPN technique if there were no suspected reactions after required incubation period, the result was negative and reported as 0 MPN/g (or 0 MPN/mL) for samples without further dilution (i.e. sample amount of 1 g (or 1 mL) in the series of the highest concentration tubes), 0 MPN/0.1g (or 0 MPN/0.1mL) for samples with further dilution of 10 (i.e. sample amount of 0.1 g (or 0.1 mL) in the series of the highest concentration tubes), or <1.8 MPN/100mL for water samples (i.e. sample amount of 10 mL in the series of the highest concentration tubes).

(a) Refer to LOD/LOQ of the individual analytes that were used to calculate the sum analyte.

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward,
Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,
Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam
(84-28) 3935 1920 f/(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service
<<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitations
of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of
this document is advised that information contained hereon reflects the Company's findings
at the time of its intervention only and within the limits of client's instructions, if any. The
Company's sole responsibility is to its Client and this document does not exonerate parties
to a transaction from exercising all their rights and obligations under the transaction



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2504170457

Sample Code : 743-2025-00063988

Eol code :

005-32410-446804

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 12.04.2025

Container no: TEMU-9431339

Green World - Korea, FAO 51

Conditioning:

Frozen sample

Sample reception date:

17/04/2025

Client due date : 22/04/2025

Analysis Time :

20/04/2025 - 21/04/2025


NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.049	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải

Managing Director

Report electronically validated by Nguyễn Anh Vũ 23/04/2025, and electronically approved by Lý Hoàng Hải 23/04/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2504220559

Sample Code : 743-2025-00067238

Eol code :

005-32410-449921

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 21.04.25

Container no: CXRU - 1000253

Maldives Industrial Fisheries Company Limited - Maldives. FAO 51

Conditioning:

Frozen sample

Sample reception date:

22/04/2025

Client due date : 26/04/2025

Analysis Time :

23/04/2025 - 24/04/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.042	0.007	0.02

Traces: result $\geq$ LOD and < LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 29/04/2025, and electronically approved by Lý Hoàng Hải 29/04/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2504220559

Sample Code : 743-2025-00067237

Eol code :

005-32410-449920

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 21.04.25

Container no: SEGU - 9405626

Maldives Industrial Fisheries Company Limited - Maldives. FAO 51

Conditioning:

Frozen sample

Sample reception date:

22/04/2025

Client due date : 26/04/2025

Analysis Time :

23/04/2025 - 24/04/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.13	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 29/04/2025, and electronically approved by Lý Hoàng Hải 29/04/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An

Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2504220559

Sample Code : 743-2025-00067236

Eol code :

005-32410-449919

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 21.04.25

Container no: BMOU - 9809549

Maldives Industrial Fisheries Company Limited - Maldives. FAO 51

Conditioning:

Frozen sample

Sample reception date:

22/04/2025

Client due date : 26/04/2025

Analysis Time :

23/04/2025 - 24/04/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.048	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải

Managing Director

Report electronically validated by Nguyễn Anh Vũ 29/04/2025, and electronically approved by Lý Hoàng Hải 29/04/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VV" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2504220559

Sample Code : 743-2025-00067235

Eol code :

005-32410-449918

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 21.04.25

Container no: TEMU - 9843531

Maldives Industrial Fisheries Company Limited - Maldives. FAO 51

Conditioning:

Frozen sample

Sample reception date:

22/04/2025

Client due date : 26/04/2025

Analysis Time :

23/04/2025 - 24/04/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.089	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ
Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 29/04/2025, and electronically approved by Lý Hoàng Hải 29/04/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2505220564

Sample Code : 743-2025-00088223

Eol code :

005-32410-470205

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 20.05.25

Container no: CGMU - 5539087

Mifco - Maldives. FAO 51

Conditioning:

In nylon bag

Sample reception date:

22/05/2025

Client due date : 28/05/2025

Analysis Time :

26/05/2025 - 27/05/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.096	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC

Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 30/05/2025, and electronically approved by Lý Hoàng Hải 30/05/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2505220564

Sample Code : 743-2025-00088224

Eol code :

005-32410-470206

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 20.05.25

Container no: CGMU - 5613292

Mifco - Maldives. FAO 51

Conditioning:

In nylon bag

Sample reception date:

22/05/2025

Client due date : 28/05/2025

Analysis Time :

26/05/2025 - 27/05/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.078	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 30/05/2025, and electronically approved by Lý Hoàng Hải 30/05/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



AR-25-VD-090467-01 / EUVNHC-00340816- Page 1 / 1

ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road No.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2505220564

Sample Code : 743-2025-00088222

Eol code :

005-32410-470204

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 20.05.25

Container no: CGMU - 5533849

Mifco - Maldives. FAO 51

Conditioning:

In nylon bag

Sample reception date:

22/05/2025

Client due date : 28/05/2025

Analysis Time :

26/05/2025 - 27/05/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Traces (<0.03)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.091	0.007	0.02

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ

Business Unit Manager Food & Feed Testing in HCMC

Lý Hoàng Hải
Managing Director

Report electronically validated by Nguyễn Anh Vũ 30/05/2025, and electronically approved by Lý Hoàng Hải 30/05/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



Report N°: 0000948634

Page N° 1/3

Ho Chi Minh City, Date: May 31, 2025

JOB NO.: 2505A-3407

ANALYSIS REPORT

CLIENT'S NAME : HIGHLAND DRAGON ENTERPRISE
CLIENT'S ADDRESS : NO. 15, STREET NO 6, SONG THAN 1 INDUSTRIAL ZONE, DI AN WARD, DI AN CITY, BINH DUONG PROVINCE, VIETNAM

SAMPLE INFORMATION:

Sampled/ Submitted by : Client
Client's reference : Tuna Yellowfin Frozen
Sample size: 13 fish
Size > 10kg/fish
Incoming date: 20.05.25
Container no: TRLU - 1709894
Green World - Korea. FAO 51
Sampling date : 20.05.25

The above information is submitted and identified by the client/applicant.

Sample description : Food (approx. gr. wt. 1kg) in the plastic container
Sample ID : 2505A-3407.002
Date sample(s) received : May 22, 2025
Testing period : May 22, 2025 - May 29, 2025
Test(s) requested : As applicant's requirement
Test result(s) : Please refer to the next page(s)

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam
Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam
(84-28) 3935 1920 (84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report N°: 0000948634

Page N° 2/3

TEST RESULT(S)

Analyte	Method	Result	LOD	LOQ	Unit	Remark
1. Cadmium (Cd)	AOAC 2015.01	0.010	0.005	0.01	mg/kg	
2. Lead (Pb)	AOAC 2015.01	Not Detected	0.005	0.01	mg/kg	
3. Mercury (Hg)	AOAC 2015.01	0.090	0.005	0.01	mg/kg	

Note:

- All methods were accredited with ISO 17025 by BoA or AOAC (without or with a triangle symbol (Δ) after the methods, respectively), except for the methods/analytes marked with an asterisk (*).
- All methods were performed by SGS Vietnam Ltd (the ones marked with the superscript number one (¹) were performed by SGS Can Tho Lab), except for the ones that were done by subcontractors (their names were mentioned in the parentheses after the method) and marked with two asterisks (**) after the analyte name.
- All methods (e.g.: AOAC, AOCS, AACC, AAFCO, SMEWW, CMMEF, SGS Laboratory developed method...) not stated with the published year were on the latest version at the time the tests were conducted.
- Testing time of all analytes was stated in the "Testing Period" (page 1) unless specified separately.
- LOD = Limit of Detection. LOD is referred to the estimated Level of Detection at 50% of probability of detection (eLOD50) when applied to the qualitative microbiological analytes, Probability of Detection (POD) when applied to qualitative chemical analytes, or Probability of Identification (POI) when applied to identification analytes. The result of the analyte with the concentration below or equal to LOD is reported as Not Detected.

LOQ = Limit of Quantification. When the chemical analyte is detected but its concentration is below limit of quantitation (LOQ), the result is reported as <LOQ. If the quantifiable result was calculated from individual analytes, it was done using unrounded single values without the ones below LOQ, or it was expressed as less than the sum of the individual LOQs of detected analytes when the concentration of all detected analytes was <LOQ. For microbiological analytes, according to the plate count testing method with the initial dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as <10 cfu/g (or <10 cfu/mL) if 1 mL of the diluted solution was incubated or <1 cfu/g (or <1 cfu/mL) if 10 mL of the diluted solution was incubated, <100 cfu/g (or <100 cfu/mL) for samples with further dilution of 10, <1 cfu/mL for pipettable samples without dilution, <10 cfu/sample (or <10 cfu/swab) for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that are required to report on specific area; according to the membrane filter method without further dilution, the result of the sample that the relevant colonies were not formed was reported as <1 cfu per sample volume tested; according to MPN technique if there were no suspected reactions after required incubation period, the result was negative and reported as 0 MPN/g (or 0 MPN/mL) for samples without further dilution (i.e. sample amount of 1 g (or 1 mL) in the series of the highest concentration tubes), 0 MPN/0.1g (or 0 MPN/0.1mL) for samples with further dilution of 10 (i.e. sample amount of 0.1 g (or 0.1 mL) in the series of the highest concentration tubes), or <1.8 MPN/100 mL for water samples (i.e. sample amount of 10 mL in the series of the highest concentration tubes).

_(a) Refer to LOD/LOQ of the individual analytes that were used to calculate the sum analyte.

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,

Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest



ANALYTICAL REPORT

HIGHLAND DRAGON ENTERPRISE

15 Road Nô.6 - Song Than 1 Industrial Park, Di An Ward - Di An
Binh Duong Province, VIETNAM

Your purchase order reference: XJ8V2505220564

Sample Code : 743-2025-00088225

Eol code :

005-32410-470207

Sample described as:

Tuna Yellowfin Frozen

Sample size: 13 fish

Size > 3kg/fish

Incoming date: 21.05.25

Container no: CGMU - 5268982

Mifco - Maldives. FAO 51

Conditioning:

In nylon bag

Sample reception date:

22/05/2025

Client due date : 28/05/2025

Analysis Time :

26/05/2025 - 27/05/2025

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS	LOD	LOQ
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.01)	0.01	0.03
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)	0.017	0.05
3	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	0.061	0.007	0.02

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Anh Vũ.

Business Unit Manager Food & Feed Testing in HCMC



Lý Hoàng Hải

Managing Director

Report electronically validated by Nguyễn Anh Vũ 30/05/2025, and electronically approved by Lý Hoàng Hải 30/05/2025.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 7 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238.



Report N°: 0000997048

Page N° 1/3

Ho Chi Minh City, Date: July 09, 2025

JOB NO.: 2506A-4716

ANALYSIS REPORT

CLIENT'S NAME : HIGHLAND DRAGON ENTERPRISE
CLIENT'S ADDRESS : NO. 15, STREET NO 6, SONG THAN 1 INDUSTRIAL ZONE, DI AN WARD, HO CHI MINH CITY, VIETNAM

SAMPLE INFORMATION:

Sampled/ Submitted by : Client
Client's reference : Tuna Yellowfin Frozen
Sample size: 13 fish
Size > 2.5kg/fish
Incoming date: 26.06.25
Container no: CGMU - 6904820
Green World - Korea. FAO 51
Sampling date : 26.06.25

The above information is submitted and identified by the client/applicant.

Sample description : Food (approx. gr. wt. 0.8kg) in the plastic container
Sample ID : 2506A-4716.001
Date sample(s) received : June 27, 2025
Testing period : June 27, 2025 - July 09, 2025
Test(s) requested : As applicant's requirement
Test result(s) : Please refer to the next page(s)

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Xuan Hoa Ward, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, 19/5A St., Group CN III, Tan Binh IZ, Tay Thanh Ward, Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,

Tra Noc 2 IZ, Phuoc Thoi Ward, Can Tho City, Vietnam

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content of this document is strictly prohibited and may result in legal action against the signatory.



Report N°: 0000997048

Page N° 2/3

TEST RESULT(S)

Analyte	Method	Result	LOD	LOQ	Unit	Remark
1. Cadmium (Cd)	AOAC 2015.01	0.016	0.005	0.01	mg/kg	
2. Lead (Pb)	AOAC 2015.01	0.011	0.005	0.01	mg/kg	
3. Mercury (Hg)	AOAC 2015.01	0.044	0.005	0.01	mg/kg	

Note:

- All methods were accredited with ISO 17025 by BoA or AOAC (without or with a triangle symbol (Δ) after the methods, respectively), except for the methods/analytes marked with an asterisk (*).
- All methods were performed by SGS Vietnam Ltd (the ones marked with the superscript number one (¹) were performed by SGS Can Tho Lab), except for the ones that were done by subcontractors (their names were mentioned in the parentheses after the method) and marked with two asterisks (**) after the analyte name.
- All methods (e.g.: AOAC, AOCS, AACC, AAFCO, SMEWW, CMMEF, SGS Laboratory developed method...) not stated with the published year were on the latest version at the time the tests were conducted.
- Testing time of all analytes was stated in the "Testing Period" (page 1) unless specified separately.

- LOD = Limit of Detection. LOD is referred to the estimated Level of Detection at 50% of probability of detection (eLOD50) when applied to the qualitative microbiological analytes, Probability of Detection (POD) when applied to qualitative chemical analytes, or Probability of Identification (POI) when applied to identification analytes. The result of the analyte with the concentration below or equal to LOD is reported as Not Detected.

LOQ = Limit of Quantification. When the chemical analyte is detected but its concentration is below limit of quantitation (LOQ), the result is reported as <LOQ. If the quantifiable result was calculated from individual analytes, it was done using unrounded single values without the ones below LOQ, or it was expressed as less than the sum of the individual LOQs of detected analytes when the concentration of all detected analytes was <LOQ. For microbiological analytes, according to the plate count testing method with the initial dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as <10 cfu/g (or <10 cfu/mL) if 1 mL of the diluted solution was incubated or <1 cfu/g (or <1 cfu/mL) if 10 mL of the diluted solution was incubated, <100 cfu/g (or <100 cfu/mL) for samples with further dilution of 10, <1 cfu/mL for pipettable samples without dilution, <10 cfu/sample (or <10 cfu/swab) for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that are required to report on specific area; according to the membrane filter method without further dilution, the result of the sample that the relevant colonies were not formed was reported as <1 cfu per sample volume tested; according to MPN technique if there were no suspected reactions after required incubation period, the result was negative and reported as 0 MPN/g (or 0 MPN/mL) for samples without further dilution (i.e. sample amount of 1 g (or 1 mL) in the series of the highest concentration tubes), 0 MPN/0.1g (or 0 MPN/0.1mL) for samples with further dilution of 10 (i.e. sample amount of 0.1 g (or 0.1 mL) in the series of the highest concentration tubes), or <1.8 MPN/100mL for water samples (i.e. sample amount of 10 mL in the series of the highest concentration tubes).

_(a) Refer to LOD/LOQ of the individual analytes that were used to calculate the sum analyte.

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Xuan Hoa Ward, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, 19/5A St., Group CN III, Tan Binh IZ, Tay Thanh Ward,
Ho Chi Minh City, Vietnam
Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,
Tra Noc 2 IZ, Phuoc Thoi Ward, Can Tho City, Vietnam
t/(84-28) 3935 1920 f/(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service
<http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations
of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of
this document is advised that information contained hereon reflects the Company's findings
at the time of its intervention only and within the limits of client's instructions, if any. The
Company's sole responsibility is to its Client and this document does not exonerate parties
to a transaction from exercising all their rights and obligations under the transaction



Report N°: 0001068249

Page N° 1/3

Ho Chi Minh City, Date: August 27, 2025

JOB NO.: 2508A-3370

ANALYSIS REPORT

CLIENT'S NAME : HIGHLAND DRAGON ENTERPRISE
CLIENT'S ADDRESS : NO. 15, STREET NO 6, SONG THAN 1 INDUSTRIAL ZONE, DI AN WARD, HO CHI MINH CITY, VIETNAM

SAMPLE INFORMATION:

Sampled/ Submitted by : Client
Client's reference : Tuna Yellowfin Frozen
Sample size: 13 fish
Size > 3kg/fish
Incoming date: 15.08.25
Container no: TCLU – 1132904
Green World - Korea. FAO 51
Sampling date : 15.08.25

The above information is submitted and identified by the client/applicant.

Sample description : Fish (approx. gr. wt. 1kg) in the plastic container
Sample ID : 2508A-3370.001
Date sample(s) received : August 18, 2025
Testing period : August 18, 2025 - August 26, 2025
Test(s) requested : As applicant's requirement
Test result(s) : Please refer to the next page(s)

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Xuan Hoa Ward, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, 19/5A St., Group CN III, Tan Binh IZ, Tay Thanh Ward, Ho Chi Minh City, Vietnam
Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, Can Tho City, Vietnam
t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report N°: 0001068249

Page N° 2/3

TEST RESULT(S)

Analyte	Method	Result	LOD	LOQ	Unit	Remark
1. Cadmium (Cd)	AOAC 2015.01	0.017	0.005	0.01	mg/kg	
2. Lead (Pb)	AOAC 2015.01	Not Detected	0.005	0.01	mg/kg	
3. Mercury (Hg)	AOAC 2015.01	0.064	0.005	0.01	mg/kg	

Note:

- All methods were accredited with ISO 17025 by BoA or AOSC (without or with a triangle symbol (Δ) after the methods, respectively), except for the methods/analytes marked with an asterisk (*).
- All methods were performed by SGS Vietnam Ltd (the ones marked with the superscript number one (¹) were performed by SGS Can Tho Lab), except for the ones that were done by subcontractors (their names were mentioned in the parentheses after the method) and marked with two asterisks (**) after the analyte name.
- All methods (e.g.: AOAC, AOCs, AACC, AAFCO, SMEWW, CMMEF, SGS Laboratory developed method...) not stated with the published year were on the latest version at the time the tests were conducted.
- Testing time of all analytes was stated in the "Testing Period" (page 1) unless specified separately.
- LOD = Limit of Detection. LOD is referred to the estimated Level of Detection at 50% of probability of detection (eLOD50) when applied to the qualitative microbiological analytes, Probability of Detection (POD) when applied to qualitative chemical analytes, or Probability of Identification (POI) when applied to identification analytes. The result of the analyte with the concentration below or equal to LOD is reported as Not Detected.

LOQ = Limit of Quantification. When the chemical analyte is detected but its concentration is below limit of quantitation (LOQ), the result is reported as <LOQ. If the quantifiable result was calculated from individual analytes, it was done using unrounded single values without the ones below LOQ, or it was expressed as less than the sum of the individual LOQs of detected analytes when the concentration of all detected analytes was <LOQ. For microbiological analytes, according to the plate count testing method with the initial dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as <10 cfu/g (or <10 cfu/mL) if 1 mL of the diluted solution was incubated or <1 cfu/g (or <1 cfu/mL) if 10 mL of the diluted solution was incubated, <100 cfu/g (or <100 cfu/mL) for samples with further dilution of 10, <1 cfu/mL for pipettable samples without dilution, <10 cfu/sample (or <10 cfu/swab) for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that are required to report on specific area; according to the membrane filter method without further dilution, the result of the sample that the relevant colonies were not formed was reported as <1 cfu per sample volume tested; according to MPN technique if there were no suspected reactions after required incubation period, the result was negative and reported as 0 MPN/g (or 0 MPN/mL) for samples without further dilution (i.e. sample amount of 1 g (or 1 mL) in the series of the highest concentration tubes), 0 MPN/0.1g (or 0 MPN/0.1mL) for samples with further dilution of 10 (i.e. sample amount of 0.1 g (or 0.1 mL) in the series of the highest concentration tubes), or <1.8 MPN/100mL for water samples (i.e. sample amount of 10 mL in the series of the highest concentration tubes).

_(a) Refer to LOD/LOQ of the individual analytes that were used to calculate the sum analyte.

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Xuan Hoa Ward, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, 19/5A St., Group CN III, Tan Binh IZ, Tay Thanh Ward,
Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St.,
Tra Noc 2 IZ, Phuoc Thoi Ward, Can Tho City, Vietnam

(84-28) 3935 1920 (84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.